

REPLACEMENT SHEET




FIG. 1

REPLACEMENT SHEET

FALCON

Printer

Print quality

Settings

Printing system

Operating mode

Single operation

Twin one-sided

Twin two-sided

Triplex

Page control

Printer 3

Printer 2

Printer 1

Print quality

Fixing temperature

Fixing oil

Printer 3

Printer 2

Printer 1

Apply

Cancel

70

74

76

78

80

82

84

86

88

90

92

94

96

64

66

68

FIG. 2

REPLACEMENT SHEET

100

110

Printer 3

Printer 2

Printer 1

102

☒ FALCON

☒ Marker

☐ Reprint

☒ Control marker

☒ Synchronous marker

☒ Marker stripes

☒ PIM

114

Position

0.00

Horizontal

14.00

Inch

122

126

Vertical

1.00

Inch

124

128

130

Geometry

1.60

Upper protection

0.50

Inch

132

2.00

Width

2.00

Inch

136

0.50

Length

1.00

Inch

140

0.00

Lower protection

0.70

Inch

138

142

112

Marker detection

☒

Stop with message

144

104

106

108

112

146

148

FIG. 3

REPLACEMENT SHEET

Up3i Frame

Ready

Clear printer

Abort print job

Stop

ERR1 specification to PMO33540

System Reboot

A TCP/IP

Data Ready

Warning

Error

Diagnose Language

Help

W-parts Mouse BDF User

Service Ticket

User: Developer

Off

OCE

Printer: Varioprint

Print job: My Print job

Setup: <not loaded>

Emulation: I-mode, PCL-

152

154

160

156

158

FIG. 4